

445411

DSN **MD-466**

State MD

SI: October 1995

Maryland Department of the Environment (MDE)

X 1. Further Action under Superfund (CERCLA) is not
appropriate or required because:

(NFRAP) because:

```
x|  Site scores below cutoff(28.5)
```

X: No threat to human health or the environment

No evidence of hazardous waste found

1b. Action Deferred to:

RCRA

NRC

2. Further Investigation needed under Superfund:

2a. Priority

Higher

Lower

2b. Activity

PA

ESI

Type:

SI

HRS Package

Other:

DISCUSSION/RATIONALE: This 6.5 acre former glue and adhesives production plant operated from 1934 through 1956. There has been a lot of nuisance dumping since it closed and were allegations of on site waste disposal while it operated. There were some moderate levels of metals in the surface water(1300 ppb aluminum, 4 ppb lead) of Maidens Choice Run but no Level II contaminants. We also detected metals in the soil(26.4 ppm antimony, 226 ppm chromium, 1310 ppm lead) but the lack of targets and the small waste area(the waste was dumped on a 1/4 acre area) kept the site from scoring. No ground water samples were taken because there are no wells within 1 mile and only 128 people drinking ground water from wells within a four mile radius of the site.

Mike Giuranna

Michael C. Hussey

Date: 12/15/95